








**D**  
D9.00  
**TYPICAL ELECTRICAL DEVICE  
INSTALLATION IN EXISTING WALL**  
SCALE: 1/2" = 1'-0"




**B**  
D9.00  
**TYPICAL DOOR INSTALLATION  
IN EXISTING MASONRY OPENING**  
SCALE: 1/2" = 1'-0"



**E**  
D9.00  
**TYPICAL PLUMBING FIXTURE  
INSTALLATION IN EXISTING WALL**  
SCALE: 1/2" = 1'-0"



**C**  
D9.00  
**TYPICAL CABINET UNIT HEATER  
LOUVER INSTALLATION IN EXISTING WALL**  
SCALE: 1/2" = 1'-0"



**DEMOLITION PLAN KEY NOTES (CONT'D)**

- 10.1 REMOVE EXISTING WALL MOUNTED ITEMS SUCH AS CHALK BOARDS/TACK BOARDS/MARKER BOARDS PLAQUES, ETC.
- 10.2 REMOVE EXISTING FOLDING PARTITION PANELS, SLIDING TRACK, HANGERS, ETC.
- 10.3 REMOVE EXISTING TOILET ACCESSORIES INCLUDING PAPER TOWEL DISPENSER, SOAP DISPENSER, MIRROR, ETC.
- 10.4 REMOVE EXISTING TOILET PARTITIONS AND ATTACHED ACCESSORIES.
- 10.5 REMOVE EXISTING LOCKERS AND BASE.
- 10.5A REMOVE EXISTING LOCKERS ONLY. EXISTING BASE TO REMAIN.
- 11.1 REMOVE EXISTING GYMNASIUM EQUIPMENT INCLUDING BASKETBALL HOOPS, BACKBOARDS, PEG BOARDS, ETC.
- 11.2 REMOVE EXISTING WALL PADS AND RELATED MOUNTING ACCESSORIES.
- 11.3 REMOVE EXISTING SCOREBOARD. COORDINATE WITH ELECTRICAL DRAWINGS.
- 11.3 REMOVE EXISTING RECESSED TABLES, MOUNTING ACCESSORIES AND METAL TRIM ASSOCIATED.
- 12.1 REMOVE EXISTING CASEWORK IN ITS ENTIRETY. COORDINATE WITH ALL THE OTHER TRADES.
- 12.2 REMOVE EXISTING COAT/STORAGE CUBBY INCLUDING HOOKS, SHELF, MOUNTING BRACKETS, ETC.
- 12.4 REMOVE EXISTING MILLWORK IN ITS ENTIRETY. COORDINATE WITH ALL THE OTHER TRADES.
- 12.5 REMOVE EXISTING WINDOW TREATMENTS INCLUDING MOUNTING BRACKETS.
- 22.1 REMOVE EXISTING PLUMBING FIXTURES PER MECHANICAL DRAWINGS.
- 22.1A REMOVE, SALVAGE AND REINSTALL EXISTING PLUMBING FIXTURES PER MECHANICAL DRAWINGS.
- 22.2 REMOVE EXISTING DRINKING FOUNTAIN/EWC PER MECHANICAL DRAWINGS.
- 23.1 REMOVE EXISTING HORIZONTAL UNIT VENTILATOR, INCLUDING SHROUD WHERE PRESENT. COORDINATE WITH MECHANICAL FOR EXTENT OF PIPING REMOVAL.
- 23.2 REMOVE EXISTING FIN TUBE/CONVECTOR COVER. COORDINATE WITH MECHANICAL FOR EXTENT OF PIPING REMOVAL.
- 23.3 REMOVE EXISTING EXTERIOR MECHANICAL LOUVER PER MECHANICAL DRAWINGS.
- 23.3A REMOVE, SALVAGE AND REINSTALL EXTERIOR MECHANICAL LOUVER.
- 23.4 REMOVE EXISTING CEILING MOUNTED UNIT HEATER. COORDINATE WITH MECHANICAL AND ELECTRICAL.
- 23.5 REMOVE EXISTING WALL MOUNTED UNIT HEATER. PATCH AND REPAIR WALL BY INFILL THE OPENING WITH INSULATION AND PROVIDE COVER ENCLOSURE. COORDINATE WITH MECHANICAL AND ELECTRICAL.
- 26.1 REMOVE EXISTING LIGHT FIXTURES PER ELECTRICAL DRAWINGS.
- 26.2 REMOVE EXISTING TV MONITORS INCLUDING SUPPORT BRACKETS. COORDINATE WITH ELECTRICAL AND TECHNOLOGY.
- 32.1 REMOVE EXISTING PLANTS, TREES AND PAVEMENT FROM EXISTING COURTYARD AND PREPARE FOR NEW CONCRETE SLAB ON GRADE. REMOVE AND EXISTING STORM DRAINS AND PREPARE EXISTING STORM DRAIN LINES FOR CONNECTION OF NEW.

**DEMOLITION GENERAL NOTES**


1. REFER TO PROJECT SPECIFICATION MANUAL FOR DEMOLITION CRITERIA BEFORE REMOVING ANY ITEMS.
2. REMOVE AND REPLACE EXISTING CONSTRUCTION AS REQUIRED FOR THE EXECUTION OF NEW WORK.
3. PROTECT EXISTING CONSTRUCTION TO REMAIN AS REQUIRED DURING DEMOLITION AND NEW WORK.
4. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL DEMOLITION REQUIREMENTS AND FOR COORDINATION WITH ALL TRADES.
5. DISCONNECT ALL MISCELLANEOUS FEATURES (I.E. ELECTRICAL, MECHANICAL, PLUMBING, ETC.) ASSOCIATED WITH ITEMS TO BE DEMOLISHED (I.E. PARTITIONS, WALLS, CEILINGS, CABINETS ETC.).
6. REMOVAL OF ANY MECHANICAL, ELECTRICAL AND MISCELLANEOUS ITEMS WILL REQUIRE PATCH AND REPAIR OF ADJACENT MATERIALS TO REMAIN SHALL BE PREP AS REQUIRED TO RECEIVE NEW FINISHES.
7. PATCH AND REPAIR ALL SURFACES TO REMAIN TO MATCH EXISTING ADJACENT SURFACES AND PREP AS REQUIRED TO RECEIVE NEW FINISHES.
8. CONTRACTOR SHALL PLACE ANY ITEMS OR MATERIALS TO BE RETAINED IN A SECURE LOCATION AS DIRECTED BY OWNER.
9. REMOVAL OF TACKSTRIPS AS REQUIRED FOR DEMOLITION AND NEW WORK SHALL BE CUT IF POSSIBLE TO LEAVE MAXIMUM AMOUNT INTACT. PATCH AND REPAIR HOLES AT REMOVED LOCATIONS.
10. REMOVAL OF ALL EXISTING WALL AND CEILING MOUNTED SIGNAGE, MAP ROLLS, PROJECTORS, SCREENS, ETC. FOR DEMOLITION AND NEW WORK. PATCH AND REPAIR AS REQUIRED FOR NEW WORK AND FINISHED PAINT.
11. REMOVAL OF ALL EXISTING SPEAKERS, HORNS, FANS, OUTLETS, CLOCKS, ETC. PROVIDE NEW COVER PLATES AND PREP FOR FINISHED PAINT. COORDINATE WITH MECHANICAL AND ELECTRICAL FOR ADDITIONAL INFORMATION.
12. REMOVAL OF MISC DOOR HARDWARE (STOPS, HOLD OPENS, ETC.) FROM EXISTING FRAMES, WALLS, FLOORS, ETC. BONDO EXISTING HOLLOW METAL FRAMING AND PATCH WALLS AS REQUIRED AT REMOVED HARDWARE. PATCH AND REPAIR AS REQUIRED FOR NEW WORK AND FINISHED PAINT.
13. REMOVE EXISTING UNUSED NAILS, SCREWS AND OTHER WALL PROTRUSIONS FROM EXISTING SURFACES TO REMAIN. PATCH AND REPAIR TO MATCH EXISTING SURFACES AND PREP AS REQUIRED TO RECEIVE NEW FINISHES.

**DEMOLITION PLAN KEY NOTES**

NOTES BELOW ARE INDICATED ON THE DRAWINGS BY THIS SYMBOL:   
**NOT ALL KEY NOTES MAY BE USED.**

- 3.1 REMOVE EXISTING SUPPORTED CONCRETE SLAB. COORDINATE EXTENT OF DEMOLITION WITH CIVIL.
- 3.2 REMOVE EXISTING CONCRETE SIDEWALK.
- 3.3 SAW CUT EXISTING CONCRETE SLAB AS REQUIRED FOR UNDERGROUND PIPING.
- 3.4 REMOVE EXISTING RAISED CONCRETE PAD.
- 3.5 REMOVE EXISTING CONCRETE STAIR.
- 4.1 REMOVE PORTION OF EXISTING EXTERIOR BRICK/MASONRY WALL AS REQUIRED BY NEW CONSTRUCTION.
- 4.1A REMOVE PORTION OF EXISTING EXTERIOR BRICK/MASONRY WALL FOR INSTALLATION OF NEW OPENING.
- 4.2 REMOVE PORTION OF EXISTING INTERIOR MASONRY WALL AS REQUIRED BY NEW CONSTRUCTION. REMOVE TO 8" BELOW TOP OF FLOOR SLAB.
- 4.2A REMOVE PORTION OF EXISTING INTERIOR MASONRY WALL FOR INSTALLATION OF NEW OPENING.
- 5.1 REMOVE EXISTING STRUCTURAL STEEL, JOISTS, DECK, ETC. AS REQUIRED BY NEW CONSTRUCTION.
- 5.2 REMOVE EXISTING METAL STAIRS IN ITS ENTIRETY.
- 6.1 REMOVE EXISTING STUD/GYP PARTITION AS REQUIRED FOR NEW CONSTRUCTION.
- 6.1A REMOVE PORTION OF EXISTING STUD/GYP PARTITION FOR INSTALLATION NEW DOOR/WINDOW FRAME.
- 7.1 REMOVE EXISTING ROOFING AS REQUIRED BY NEW CONSTRUCTION.
- 7.1A REMOVE EXISTING ROOFING AS REQUIRED FOR INSTALLATION OF NEW MECHANICAL EQUIPMENT. COORDINATE WITH MECHANICAL DRAWINGS.
- 8.1 REMOVE EXISTING DOOR AND FRAME IN ITS ENTIRETY.
- 8.1A REMOVE EXISTING DOOR AND FRAME FOR INSTALLATION OF NEW REPLACEMENT DOOR AND FRAME.
- 8.1B REMOVE EXISTING DOOR ONLY. EXISTING FRAME TO REMAIN.
- 8.2 REMOVE EXISTING WINDOW/GLAZING UNIT IN ITS ENTIRETY.
- 8.2A REMOVE EXISTING WINDOW/GLAZING UNIT FOR INSTALLATION OF NEW REPLACEMENT WINDOW.
- 8.2B REMOVE EXISTING GLAZING ONLY. EXISTING FRAME TO REMAIN.
- 8.3 REMOVE EXISTING OVERHEAD COILING COUNTER/DOOR IN ITS ENTIRETY.
- 9.1 REMOVE EXISTING CARPET AND BASE.
- 9.1A REMOVE EXISTING CARPET. EXISTING GLAZED MASONRY BASE TO REMAIN.
- 9.2 REMOVE EXISTING VCT AND BASE.
- 9.2A REMOVE EXISTING VCT. EXISTING GLAZED MASONRY BASE TO REMAIN.
- 9.3 REMOVE EXISTING CERAMIC/PORCELAIN TILE AND BASE.
- 9.3A REMOVE EXISTING CERAMIC/PORCELAIN TILE FLOOR ONLY. EXISTING TILE BASE TO REMAIN.
- 9.4 REMOVE EXISTING RUBBER/SPORTS FLOORING. OR OTHER FLOORING TYPE IE. GYM WOOD FLOOR
- 9.5 REMOVE EXISTING FLOORING BY OTHERS.
- 9.6 REMOVE EXISTING SUSPENDED CEILING SYSTEM IN ITS ENTIRETY, INCLUDING PADS, GRID, SUSPENSION WIRE, ETC.
- 9.6A REMOVE EXISTING ACOUSTIC CEILING TILES ONLY. EXISTING GRID, SUSPENSION WIRE TO REMAIN.
- 9.7 REMOVE EXISTING GYPSUM/PLASTER CEILING SYSTEM IN ITS ENTIRETY, INCLUDING SUSPENSION WIRE, FRAMING, ETC.
- 9.7A REMOVE PORTION OF EXISTING GYPSUM/PLASTER CEILING SYSTEM TO NEAREST JOINT LINE.
- 9.8 REMOVE EXISTING CONCEALED SPLINE CEILING SYSTEM. OR OTHER CEILING TYPE IE. LINEAR METAL

**A**  
D9.00  
**TYPICAL DOOR INSTALLATION  
IN EXISTING MASONRY WALL**  
SCALE: 1/2" = 1'-0"



KEY PLAN

ISSUE DATE	ISSUED FOR
8/01/2023	BID DOCUMENTS
DRAWN	SAH
CHECKED	PAC
APPROVED	PAC



236 MILL STREET  
ROCHESTER, MI  
48307  
T: 248.656.1377  
french@french.com  
© FRENCH associates, Inc.

PROJECT

**Wayne RESA Schools  
Burger Baylor (Autistic)  
Door and Window  
Replacement**

Inkster  
Michigan

SHEET

**Demolition Notes  
and Details**

PROJECT NUMBER

**2023-049**

SHEET NUMBER

**D2.00**

















































